



Dräger PARAT 3260 Filtering Escape Device

The Dräger PARAT 3260 is a mouthpiece / nose clip escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for filtering industrial escape devices (DIN 58647-7), it provides users a minimum of 15 minutes escape time. Compared to PARAT 3200, the device and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.

Dräger PARAT 3260

Mouthpiece with nose clip

Small in size, easy to don
Provides extremely low leakage
Suited for bearded wearers

Integrated belt clip

For safe and comfortable carrying of the device on the body
Additional carrying accessories available

Transparent backplate

Visual inspection possible
Filter expiration date easy to read

Info label on the inside

Protected against abrasion
Easy to understand pictograms



TPE sealing strap
Easy to open and close: allows for quick and easy replacement

Traction grip areas
Slip-proof surfaces for safe handling – even with gloves

Overall lifetime
12 years provided the barrier bag is exchanged after 6 years

Robust housing
Mouthpiece and filter are vacuum sealed in a robust barrier bag and are additionally protected by the housing
Suitable for daily use in rough work environments

D-28605-2015

Benefits

Proven protection for at least 15 minutes

The Dräger PARAT 3260 reliably protects the user from a wide range of toxic industrial gases for at least 15 minutes. It is approved in accordance with DIN 58647-7.

Mouthpiece with nose clip

The escape respirator consists of a mouthpiece with nose clip and an integrated ABEK15 filter. It is easy and safe to don, even for bearded wearers. It provides very low leakage values. The small and compact size makes it easy to carry.

Various carrying options

The escape device is standardly equipped with a belt clip. There are four additional carrying options available: a grip clip, slip guard carabiner, shoulder strap and hand strap, keeping the PARAT 3000 series secure during daily tasks. With the exception of the grip clip, the devices can be assembled to the existing belt clip. The grip clip can be assembled after removing the belt clip from the unit.

Robust and ergonomic packaging

The ergonomic design with traction grip areas on the housing allows for easy and safe handling. The robust case provides stability even under extreme working conditions.

Transparent backplate

The backplate of the PARAT 3260 is transparent and offers a clear view of the device. Service intervals are easy to keep track of as the expiration date is on the barrier bag and can be easily read. Pictograms show the correct donning procedure and remain protected under the backplate against abrasion.

Low cost of ownership

The device has a 12 year lifetime, provided that the barrier bag is replaced after 6 years. Ensures maximum protection at a reasonable cost.

Vacuum sealed for high protection

The escape device is vacuum sealed in a robust aluminum barrier bag. Protects the system in a wide variety of ambient conditions.

System Components



D-28596-2015

Spare parts set Dräger PARAT 3260

Includes a mouthpiece and nose clip fitted with an ABEK15 escape filter sealed in an aluminum barrier bag. Set includes a sealing tag to reseal the case. It has a 6 year lifetime.

Accessories

D-7413-2019



Slip guard carabiner for Dräger PARAT 3000

The slip guard carabiner is a carrying option which fulfills two functions. First, the function of a carabiner hook. Secondly, it provides a drop safety for the unit. When carrying the PARAT 3000 on a belt clip, the slip guard carabiner can be hooked onto the belt loop and in case the unit dislodges from the belt, it remains attached to the user. The slip guard carabiner can be assembled on the belt clip of the PARAT 3000.

D-7270-2019



Grip clip for Dräger PARAT 3000

The grip clip carrying option is intended for applications when a securely fastened clip is needed. With the grip clip the device can be attached to work clothes or pockets. The grip clip can easily be assembled to the PARAT 3000 after removing the belt clip.

D-7275-2019



Hand strap for Dräger PARAT 3000

The hand strap carrying option is optimal for short-term applications when a device needs to be accessed quickly. It allows users to carry the unit on their wrist. This option is especially popular among visitors who are on-site only for a short time. The hand strap can be assembled on the belt clip of the PARAT 3000.

D-7276-2019



Shoulder Strap for PARAT 3000

The shoulder strap is suitable for recurring operations where a device is quickly carried along and the user does not have a belt. The shoulder strap can be assembled on the belt clip of the PARAT 3000.

Related Products

D-7238-2019



PARAT 3200 Training unit

This training unit is designed for users who want to practice the use of the PARAT 3200 mouthpiece escape device. The training unit includes an empty filter dummy, which can be hygienically cleaned after use. Additionally, the training unit is clearly marked as “For Training Only”.

D-11940-2019



Dräger PARAT 3160

The Dräger PARAT 3160 is a half mask escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for filtering industrial escape devices (DIN 58647-7), it provides users a minimum of 15 minutes escape time. Compared to PARAT 3100, the half mask and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.

D-36244-2021



Dräger PARAT 1260

Designed with simplicity in mind, the Dräger PARAT 1260 is an extra small mouthpiece / nose clip filtering escape device equipped with a multi-gas ABEK filter that offers you 10 minutes of protection against a variety of toxic industrial gases and vapours. The device and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.

Technical Data

Filter performance	ABEK15 gas filter for protection against organic and anorganic gases and vapors, approved in accordance with DIN 58647 part 7
Duration of use	At least 15 minutes
Shelf life	Total lifetime 12 years, provided the barrier bag is exchanged after 6 years.
Weight	Approx. 354 g (12.5 oz)
Dimensions (L x W x H)	170 x 110 x 60 mm (6.7 x 4.3 x 2.4 in)
Approval	Approved in accordance with DIN 58647 part 7 (CE mark 0158)

Filter capacity according to DIN 58647-7*

Type	Test gas	Concentration in ppm	Breakthrough in ppm	Minimum breakthrough time in min
A	Cyclohexane (C ₆ H ₁₂)	2,500	10	15
B	Chlorine (Cl ₂)	2,500	0.5	15
B	Hydrogen sulfide (H ₂ S)	2,500	10	15
B	Hydrogen cyanide (HCN)	2,500	10	15
E	Sulfur dioxide (SO ₂)	2,500	5.0	15
K	Ammonia (NH ₃)	2,500	25	15
B	Hydrogen sulfide (H ₂ S)	10,000**	20	5

* Test conditions according to DIN 58647-7: 30 l/min, 70 % relative humidity, 20 °C (68 °F).

** To determine the breakthrough capacity of the gas filter it is additionally tested with 10,000 ppm hydrogen sulfide.

Ordering Information

Dräger PARAT 3260	Order no.
Dräger PARAT 3260 Mouthpiece respirator (vacuum sealed in an aluminum barrier bag)	3704479
Dräger PARAT 3200 Training unit	3704884

Carrying options

Grip clip for Dräger PARAT 3000	3704420
Slip guard carabiner for Dräger PARAT 3000	3704422
Shoulder strap for Dräger PARAT 3000	3704520
Hand strap for Dräger PARAT 3000	3704519

Replacement parts

Spare part set Dräger PARAT 3260	R62627
Spare parts kit lid Dräger PARAT 3260	3703258
Sealing strap for Dräger PARAT 3000	R56319
Sealing tag Dräger PARAT 3000 (50 pieces)	R56355
Belt clip (replacement) for Dräger PARAT 3000	3702205
Filter dummy for Dräger PARAT 3000 Training unit	R58345

Not all products, features, or services are for sale in all countries. Trademarks mentioned herein are the property of its respective owner. Trademarks may be owned by Drägerwerk AG & Co. KGaA (Dräger) or its affiliates in certain countries and not necessarily in the country in which this material is released. Visit www.draeger.com/trademarks for the current status of Dräger's trademarks.

Corporate Headquarters

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
■ www.draeger.com

Region Europe

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
☎ +49 451 882 0
☎ +49 451 882 2080
✉ info@draeger.com

Region Asia Pacific

Draeger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
☎ +65 6872 9288
☎ +65 6259 0398

Region Middle East, Africa

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
☎ +971 4 4294 600
☎ +971 4 4294 699
✉ contactuae@draeger.com

Region Central and South America

Dräger Safety do Brasil Ltda.
Al. Pucuruí, 51/61 – Tamboré
06460-100 Barueri, São Paulo
☎ +55 (11) 4689-4900
✉ relacionamento@draeger.com



Locate your Regional Sales
Representative at:
www.draeger.com/contact